

DESCRIPTION

The Pendle dealer boot is a classic style featuring a water resistant leather upper to keep feet dry and elasticated side panels for easy putting on. It has both toe cap and midsole protection made from lightweight, metal free composite material, with a kick plate on the heel for easy removal. Its hardwearing, dual density PU sole is shock absorbent, anti-slip, anti-static and fuel oil resistant and Blackrock's padded EaziStep insole ensures maximum comfort.

SIZES

UK 3-13 (available in size 6.5 and 10.5)

STANDARDS

EN20345 S3 SRC

KEY FEATURES

- Water resistant leather upper
- Lightweight metal-free toe cap and midsole
- Elasticated side panel
- · Heel kickplate for easy removal
- Eazi-Step padded and breathable insole for comfort
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue



The EaziStep™ insole is made from lightweight, ergonomically designed PU/mesh material that gives all day comfort and relieves tension in areas vulnerable to impact and stress such as the ball of the foot and heel area. Puncture holes give breathability without compromising any anti-static properties the footwear may have.

FEATURE ICONS















MATERIALS

- Water resistant leather upper
- PU/PU sole
- Non-metallic toe cap
- Non-metallic woven midsole

TYPICAL INDUSTRIES

- Automotive
- Transport
- Facilities management
- Warehousing
- Airport & logistics
- Agriculture & landscaping

CERTIFICATION/MARKINGS



EN ISO 20345:2011 is an internationally recognised standard which specifies requirements for safety footwear. Any product which references an EN standard must have the relevant certification attributed to the product code found on the product.

The product standard can be found on the tongue label and should match that stated on the certification. The standard is usually a group of numbers and letters, for example S3 WR HRO SRC. These letters and numbers denote the characteristics that make up the footwear you are buying which include properties such as protective toe cap, water-resistant uppers, protective midsole, fuel oil resistance, anti-static, heat resistance and slip resistance.

Users are advised to select the required class of performance based on the risk assessment of the location and/or task as appropriate.

PRODUCT DETAILS

CODE	SIZE	COLOUR	BARCODES	PACKAGING
CF1403	3	Black	5019200288274	
CF1404	4	Black	5019200288281	Each pair individually boxed
CF1405	5	Black	5019200288298	Purchase multiple: 1
CF1406	6	Black	5019200288304	Outer carton quantity: 10
CF14065	6.5	Black	5019200288311	
CF1407	7	Black	5019200288328	
CF1408	8	Black	5019200288335	BEACKROCK
CF1409	9	Black	5019200288342	
CF1410	10	Black	5019200288359	BI-ACKROCK
CF14105	10.5	Black	5019200288366	B Ligh:
CF1411	11	Black	5019200288373	METAL-FREE PROTECTION
CF1412	12	Black	5019200288380	
CF1413	13	Black	5019200288397	