

TECHNICAL DATA SHEET

SF106 CLAYSTONE TAN BOOT



**AVAILABLE IN
TWO COLOURS**

**PROTECTIVE
STEEL TOE CAP**

**WATER RESISTANT
LEATHER UPPER**

PADDED COLLAR

**KICKPLATE
HEEL**

**PROTECTIVE
STEEL MIDSOLE**



DESCRIPTION

Blackrock's Claystone boot has a water resistant action nubuck upper to keep feet dry, plus a padded collar for ankle support. It has both steel toe cap and midsole protection with a scuff cap for added durability and kick plate on the heel for easy removal. Its hardwearing, dual density PU sole is shock absorbent, anti-slip, anti-static and fuel oil resistant, plus a ladder grip sole unit with a transverse profile that gives added stability when climbing or descending ladders.

SIZES

UK 3-13

STANDARDS

EN20345:2022
S3 FO LG SR

KEY FEATURES

- Water resistant leather upper with padded ankle
- Steel toe cap and midsole
- Scuff cap for added durability
- Heel kickplate for easy removal
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue
- Ladder grip sole unit gives added stability

FEATURE ICONS



TECHNICAL DATA SHEET

MATERIALS

- Water resistant nubuck upper
- PU/PU sole
- Steel toe cap
- Steel midsole

TYPICAL INDUSTRIES

- Automotive
- Uniform
- Engineering
- Security
- Agriculture & landscaping
- Transport
- Warehousing

CERTIFICATION/MARKINGS



EN ISO 20345:2022 is an internationally recognised standard which specifies requirements for safety footwear. Any product which references an EN standard must have the relevant certification attributed to the product code found on the product.

The product standard can be found on the tongue label and should match that stated on the certification. The standard is usually a group of numbers and letters, for example S3L HRO SR. These letters and numbers denote the characteristics that make up the footwear you are buying which include properties such as protective toe cap, water-resistant uppers, protective midsole, fuel oil resistance, anti-static, heat resistance and slip resistance.

Users are advised to select the required class of performance based on the risk assessment of the location and/or task as appropriate.

PRODUCT DETAILS

CODE	SIZE	COLOUR	BARCODES	PACKAGING
SF10603	3	Tan	5019200332847	<p>Each pair individually boxed</p> <p>Purchase multiple: 1</p> <p>Outer carton quantity: 10</p> 
SF10604	4	Tan	5019200332854	
SF10605	5	Tan	5019200332861	
SF10606	6	Tan	5019200332878	
SF10607	7	Tan	5019200332885	
SF10608	8	Tan	5019200332892	
SF10609	9	Tan	5019200332908	
SF10610	10	Tan	5019200332915	
SF10611	11	Tan	5019200332922	
SF10612	12	Tan	5019200332939	
SF10613	13	Tan	5019200332946	